

L Number	Hits	Search Text	DB	Time stamp
-	85371	(binary\$1 or binari\$7 or bitmap\$3 or bilevel\$4 or bi-level\$3 or bi-scal\$4 or bi-map\$3 or bmp or bit adj1 (map\$3 or imag\$4) or black\$3 near3 white\$3 or bi adj1 (level\$4 or scal\$3 or map\$3) or dither\$3 or screening or error near diffus\$4 or half-ton\$4 or half-ton\$4 or half adj1 ton\$3 or bayer\$3 or bayer-dickering or floyd-steinberg\$4 or floyd adj1 steinberg\$4 or pseudogray\$8 or pseudogrey\$8 or pseudo-gray\$8 or pseudo-grey\$8 or pseudo adj1 (grey or gray or greyscal\$4 or grayscal\$4 or grey-scal\$4 or gray-scal\$4)) near7 (compres\$7 or cod\$4 or encod\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/15 16:16
-	4345	((binary\$1 or binari\$7 or bitmap\$3 or bilevel\$4 or bi-level\$3 or bi-scal\$4 or bi-map\$3 or bmp or bit adj1 (map\$3 or imag\$4) or black\$3 near3 white\$3 or bi adj1 (level\$4 or scal\$3 or map\$3) or dither\$3 or screening or error near diffus\$4 or half-ton\$4 or half-ton\$4 or half adj1 ton\$3 or bayer\$3 or bayer-dickering or floyd-steinberg\$4 or floyd adj1 steinberg\$4 or pseudogray\$8 or pseudogrey\$8 or pseudo-gray\$8 or pseudo-grey\$8 or pseudo adj1 (grey or gray or greyscal\$4 or grayscal\$4 or grey-scal\$4 or gray-scal\$4)) near7 (compres\$7 or cod\$4 or encod\$4)) near7 (reformat\$4 or rearrang\$4 or modif\$7 or alter\$4 or modif\$4 or changeabl\$4 or chang\$4 or reshuffl\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/15 16:18
-	4574	((binary\$1 or binari\$7 or bitmap\$3 or bilevel\$4 or bi-level\$3 or bi-scal\$4 or bi-map\$3 or bmp or bit adj1 (map\$3 or imag\$4) or black\$3 near3 white\$3 or bi adj1 (level\$4 or scal\$3 or map\$3) or dither\$3 or screening or error near diffus\$4 or half-ton\$4 or half-ton\$4 or half adj1 ton\$3 or bayer\$3 or bayer-dickering or floyd-steinberg\$4 or floyd adj1 steinberg\$4 or pseudogray\$8 or pseudogrey\$8 or pseudo-gray\$8 or pseudo-grey\$8 or pseudo adj1 (grey or gray or greyscal\$4 or grayscal\$4 or grey-scal\$4 or gray-scal\$4)) near7 (compres\$7 or cod\$4 or encod\$4)) near7 (reformat\$4 or rearrang\$4 or modif\$7 or alter\$4 or modif\$4 or changeabl\$4 or chang\$4 or reshuffl\$4 or interleav\$4 or inter-leav\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/15 16:29
-	114508	382/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/15 16:19
-	808	((((binary\$1 or binari\$7 or bitmap\$3 or bilevel\$4 or bi-level\$3 or bi-scal\$4 or bi-map\$3 or bmp or bit adj1 (map\$3 or imag\$4) or black\$3 near3 white\$3 or bi adj1 (level\$4 or scal\$3 or map\$3) or dither\$3 or screening or error near diffus\$4 or half-ton\$4 or half-ton\$4 or half adj1 ton\$3 or bayer\$3 or bayer-dickering or floyd-steinberg\$4 or floyd adj1 steinberg\$4 or pseudogray\$8 or pseudogrey\$8 or pseudo-gray\$8 or pseudo-grey\$8 or pseudo adj1 (grey or gray or greyscal\$4 or grayscal\$4 or grey-scal\$4 or gray-scal\$4)) near7 (compres\$7 or cod\$4 or encod\$4)) near7 (reformat\$4 or rearrang\$4 or modif\$7 or alter\$4 or modif\$4 or changeabl\$4 or chang\$4 or reshuffl\$4 or interleav\$4 or inter-leav\$4)) and (382/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/15 16:19
-	788	((((binary\$1 or binari\$7 or bitmap\$3 or bilevel\$4 or bi-level\$3 or bi-scal\$4 or bi-map\$3 or bmp or bit adj1 (map\$3 or imag\$4) or black\$3 near3 white\$3 or bi adj1 (level\$4 or scal\$3 or map\$3) or dither\$3 or screening or error near diffus\$4 or half-ton\$4 or half-ton\$4 or half adj1 ton\$3 or bayer\$3 or bayer-dickering or floyd-steinberg\$4 or floyd adj1 steinberg\$4 or pseudogray\$8 or pseudogrey\$8 or pseudo-gray\$8 or pseudo-grey\$8 or pseudo adj1 (grey or gray or greyscal\$4 or grayscal\$4 or grey-scal\$4 or gray-scal\$4)) near7 (compres\$7 or cod\$4 or encod\$4)) near7 (reformat\$4 or rearrang\$4 or modif\$7 or alter\$4 or modif\$4 or changeabl\$4 or chang\$4 or reshuffl\$4 or interleav\$4 or inter-leav\$4)) same (de adj1 (cod\$3 or compres\$5) or de-cod\$3 or decod\$3 or uncod\$3 or unencod\$3 Or expand\$3 or de-compres\$5 or decompres\$5 or (revers\$4 or invers\$3) near (cod\$3 or encod\$3 or compres\$5 or compact\$3) or reproduc\$5 or reconstruct\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/15 16:23

09/450,687

	228	<p>(((binary\$1 or binari\$7 or bitmap\$3 or bilevel\$4 or bi-level\$3 or bi-scal\$4 or bi-map\$3 or bmp or bit adj1 (map\$3 or imag\$4) or black\$3 near3 white\$3 or bi adj1 (level\$4 or scal\$3 or map\$3) or dither\$3 or screening or error near diffus\$4 or half-ton\$4 or half-ton\$4 or half adj1 ton\$3 or bayer\$3 or bayer-dickering or floyd-steinberg\$4 or floyd adj1 steinberg\$4 or pseudogray\$8 or pseudogrey\$8 or pseudo-gray\$8 or pseudo-grey\$8 or pseudo adj1 (grey or gray or greyscal\$4 or grayscale\$4 or grey-scal\$4 or gray-scal\$4)) near7 (compres\$7 or cod\$4 or encod\$4)) near7 (reformat\$4 or rearrang\$4 or modif\$7 or alter\$4 or modif\$4 or changeabl\$4 or chang\$4 or reshuffl\$4 or interleav\$4 or inter-leav\$4)) and (382/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.)) and (((binary\$1 or binari\$7 or bitmap\$3 or bilevel\$4 or bi-level\$3 or bi-scal\$4 or bi-map\$3 or bmp or bit adj1 (map\$3 or imag\$4) or black\$3 near3 white\$3 or bi adj1 (level\$4 or scal\$3 or map\$3) or dither\$3 or screening or error near diffus\$4 or half-ton\$4 or half-ton\$4 or half adj1 ton\$3 or bayer\$3 or bayer-dickering or floyd-steinberg\$4 or floyd adj1 steinberg\$4 or pseudogray\$8 or pseudogrey\$8 or pseudo-gray\$8 or pseudo-grey\$8 or pseudo adj1 (grey or gray or greyscal\$4 or grayscale\$4 or grey-scal\$4 or gray-scal\$4)) near7 (compres\$7 or cod\$4 or encod\$4)) near7 (reformat\$4 or rearrang\$4 or modif\$7 or alter\$4 or modif\$4 or changeabl\$4 or chang\$4 or reshuffl\$4 or interleav\$4 or inter-leav\$4)) same (de adj1 (cod\$3 or compres\$5) or de-cod\$3 or decod\$3 or uncod\$3 or unencod\$3 Or expand\$3 or de-compres\$5 or decompres\$5 or (revers\$4 or invers\$3) near (cod\$3 or encod\$3 or compres\$5 or compact\$3) or reproduc\$5 or reconstruct\$3))</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	2003/06/15 16:26
	312	<p>(((binary\$1 or binari\$7 or bitmap\$3 or bilevel\$4 or bi-level\$3 or bi-scal\$4 or bi-map\$3 or bmp or bit adj1 (map\$3 or imag\$4) or black\$3 near3 white\$3 or bi adj1 (level\$4 or scal\$3 or map\$3) or dither\$3 or screening or error near diffus\$4 or half-ton\$4 or half-ton\$4 or half adj1 ton\$3 or bayer\$3 or bayer-dickering or floyd-steinberg\$4 or floyd adj1 steinberg\$4 or pseudogray\$8 or pseudogrey\$8 or pseudo-gray\$8 or pseudo-grey\$8 or pseudo adj1 (grey or gray or greyscal\$4 or grayscale\$4 or grey-scal\$4 or gray-scal\$4)) near7 (compres\$7 or cod\$4 or encod\$4)) near7 (reformat\$4 or rearrang\$4 or modif\$7 or alter\$4 or modif\$4 or changeabl\$4 or chang\$4 or reshuffl\$4 or interleav\$4 or inter-leav\$4)) same (de adj1 (cod\$3 or compres\$5) or de-cod\$3 or decod\$3 or uncod\$3 or unencod\$3 Or expand\$3 or de-compres\$5 or decompres\$5 or (revers\$4 or invers\$3) near (cod\$3 or encod\$3 or compres\$5 or compact\$3) or reproduc\$5 or reconstruct\$3)) same (imag\$3 or pixel\$4 or pel\$1 or video\$1 or graph\$5 or photo\$5 or photgraphic\$4 or pictur\$3 or pictorial\$4 or continuous adj1 tone\$1 or contone\$1 or tone\$1 or half-ton\$3 or bitmap\$3 or bit adj1 map\$3 or pixmap\$3 or pix-map\$3 or pix adj1 map\$3 or raster\$7 or facsimile\$1 or gray\$3 or grey\$3)</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	2003/06/15 16:28

-	195	(382/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) and (((binary\$1 or binari\$7 or bitmap\$3 or bilevel\$4 or bi-level\$3 or bi-scal\$4 or bi-map\$3 or bmp or bit adj1 (map\$3 or imag\$4) or black\$3 near3 white\$3 or bi adj1 (level\$4 or scal\$3 or map\$3) or dither\$3 or screening or error near diffus\$4 or half-ton\$4 or half-ton\$4 or half adj1 ton\$3 or bayer\$3 or bayer-dickering or floyd-steinberg\$4 or floyd adj1 steinberg\$4 or pseudogray\$8 or pseudogrey\$8 or pseudo-gray\$8 or pseudo-grey\$8 or pseudo adj1 (grey or gray or greyscal\$4 or grayscal\$4 or grey-scal\$4 or gray-scal\$4)) near7 (compres\$7 or cod\$4 or encod\$4)) near7 (reformat\$4 or rearrang\$4 or modif\$7 or alter\$4 or modif\$4 or changeabl\$4 or chang\$4 or reshuffl\$4 or interleav\$4 or inter-leav\$4)) same (de adj1 (cod\$3 or compres\$5) or de-cod\$3 or decod\$3 or uncod\$3 or unencod\$3 Or expand\$3 or de-compres\$5 or decompres\$5 or (revers\$4 or invers\$3) near (cod\$3 or encod\$3 or compres\$5 or compact\$3) or reproduc\$5 or reconstruct\$3)) same (imag\$3 or pixel\$4 or pel\$1 or video\$1 or graph\$5 or photo\$5 or photgraphic\$4 or pictur\$3 or pictorial\$4 or continuous adj1 tone\$1 or contone\$1 or tone\$1 or half-ton\$3 or bitmap\$3 or bit adj1 map\$3 or pixmap\$3 or pix-map\$3 or pix adj1 map\$3 or raster\$7 or facsimile\$1 or gray\$3 or grey\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/15 16:28
-	323	((binary\$1 or binari\$7 or bitmap\$3 or bilevel\$4 or bi-level\$3 or bi-scal\$4 or bi-map\$3 or bmp or bit adj1 (map\$3 or imag\$4) or black\$3 near3 white\$3 or bi adj1 (level\$4 or scal\$3 or map\$3) or dither\$3 or screening or error near diffus\$4 or half-ton\$4 or half-ton\$4 or half adj1 ton\$3 or bayer\$3 or bayer-dickering or floyd-steinberg\$4 or floyd adj1 steinberg\$4 or pseudogray\$8 or pseudogrey\$8 or pseudo-gray\$8 or pseudo-grey\$8 or pseudo adj1 (grey or gray or greyscal\$4 or grayscal\$4 or grey-scal\$4 or gray-scal\$4)) near7 (compres\$7 or cod\$4 or encod\$4)) near7 (reformat\$4 or rearrang\$4 or reshuffl\$4 or interleav\$4 or inter-leav\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/15 16:30
-	52	(382/\$.ccls. or 358/\$.ccls. or 348/\$.ccls.) and (((binary\$1 or binari\$7 or bitmap\$3 or bilevel\$4 or bi-level\$3 or bi-scal\$4 or bi-map\$3 or bmp or bit adj1 (map\$3 or imag\$4) or black\$3 near3 white\$3 or bi adj1 (level\$4 or scal\$3 or map\$3) or dither\$3 or screening or error near diffus\$4 or half-ton\$4 or half-ton\$4 or half adj1 ton\$3 or bayer\$3 or bayer-dickering or floyd-steinberg\$4 or floyd adj1 steinberg\$4 or pseudogray\$8 or pseudogrey\$8 or pseudo-gray\$8 or pseudo-grey\$8 or pseudo adj1 (grey or gray or greyscal\$4 or grayscal\$4 or grey-scal\$4 or gray-scal\$4)) near7 (compres\$7 or cod\$4 or encod\$4)) near7 (reformat\$4 or rearrang\$4 or reshuffl\$4 or interleav\$4 or inter-leav\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/15 16:30
-	7	("4697233" "4706264" "5046122" "5109437" "5231679" "5455576" "5506621").PN.	USPAT	2003/06/16 08:16